

CAREGIVER STRESS REFERENCES

Alzahrani, S.H., Fallata, E.O., Alabdulwahab, M.A., Alsafi, W.A. & Bashawari, J. (2017). Assessment of the burden on caregivers of patients with mental disorders in Jeddah, Saudi Arabia. BMC Psychiatry, 17.

Angermeyer, M.C., Bull, N., Bernert, S., Dietrich, S. & Kopf, A. (2006). Burnout of Caregivers: A Comparison between Partners of Psychiatric Patients and Nurses. Archives of Psychiatric Nursing, 20(4), 158-165.

Awad, A.G. & Voruganti, L.N.P. (2008). The Burden of Schizophrenia on Caregivers: A Review. Pharmacoeconomics, 26(2), 149-162

Bacon, E., Milne, D.L., Shikh, A.I. & Freeston, M.H. (2009). Positive Experiences in Caregivers: An Exploratory Case Series. Behavioural and Cognitive Psychotherapy, 37, 95-114.

Bauer, R., Gottfriedsen, G.U., Binder, H., Dobmeier, M., Cording, C., Hajak, G. & Spiessl, H. (2011). Burden of Caregivers of Patients with Bipolar Affective Disorders. American Journal of Orthopsychiatry, 81(1), 139-148.

Becker, S. (2007). Global perspectives on children's unpaid caregiving in the family: Research and policy on 'Young Carers' in the U.K., Australia, the USA and Sub-Saharan Africa. Global Social Policy, 7(1), 25-50.

CARERS UK (2015) Alone and caring: isolation, loneliness and the impact of caring on relationships. Available at <http://www.carersuk.org/for-professionals/policy/policy-library/alone-caring>

Caqueo-Urizar, A. & Gutierrez-Maldonado, J. (2006). Burden of care in families of patients with schizophrenia. Quality of Life Research, 15, 719-724.

Caquo-Urizar, A., Miranda-Castillo, C., Giraldez, S.L., Maturana, S.L., Perez, M.R. & Tapia, F.M. (2014). An updated review on burden on caregivers of schizophrenia patients. Psicothema, 26(2), 235-243.

Chadda, R.K., Singh, T.B. & Ganguly, K.K. (2007). Caregiver burden and coping: A prospective study of relationship between burden and coping in caregivers of patients with schizophrenia and bipolar affective disorder. Social Psychiatry and Psychiatric Epidemiology, 42, 923-930.

Chan, S.W. (2011). Global perspective of burden of family caregivers for persons with schizophrenia, Archives of Psychiatric Nursing, 25 (5), 339 – 349.

Charalampos, M., Voussoura, E., Dimopoulos, N., Psarra, V., Kararizou, E., Latzouraki, E., Zervas, I. & Katsanou, M.N. (2012). Factors associated with caregiver psychological distress in chronic schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 47 (2), 331-337.

- Clarke, K. & Couchman, G. (2012). Caregiver causal attributions in youth psychosis. Early intervention in psychiatry, 6 (3), 309-316.
- Cleary, M., Freeman, A., Hunt, G.E. & Walter, G. (2005). What patients and carers want to know: an exploration of information and resource needs in adult mental health services. Australian and New Zealand Journal of Psychiatry, 39, 507-513.
- Cormac, I. & Tihanyi, P. (2006). Meeting the Mental and Physical Healthcare Needs of Carers. Advances in Psychiatric Treatment, 12, 162-172.
- Cotton, S.M., McCann, T.V., Gleeson, J.F., Crisp, K., Murphy, B.P., Lubman, D.I. (2013). Coping strategies in carers of young people with a first episode of psychosis. Schizophrenia Research, 146 (1), 118 – 124.
- Craig, T. & Bromet, E.J. (2004). Parents with psychosis. Annals of Clinical Psychiatry, 16, 35-39.
- Dalky, H.F., Qandil, A.M., Natour, A.S. & Janet, M.C. (2017). Quality of life, stigma and burden perception among family caregivers and patients with psychiatric illnesses in Jordan. Community Mental Health Journal, 53(3), 266-274.
- Dyck, D.G., Short, R. & Vitaliano, P. P. (1999). Predictors of Burden and Infectious Illness in Schizophrenia Caregivers. Psychosomatic Medicine, 61, 411-419.
- Evenson, E., Rhodes, J. Feigenbaum, J. & Solly A. (2008) The experiences of fathers with psychosis. Journal of Mental Health, 17(6), 629 - 642
- Fadden, G., Bebbington, P. & Kuipers, L (1987). The Burden of Care - the impact of functional psychiatric illness on the patients family. British Journal of Psychiatry, 150, 285-292.
- Flyckt, L., Lothman, A., Jorgensen, L., Rylander, A., Koernig, T. (2013). Burden of informal care giving to patients with psychoses: A descriptive and methodological study. International Journal of Social Psychiatry, 59 (2), 137 – 146.
- Ganguly, K.K., Chadda, R.K. & Singh, T.B. (2010). Caregiver Burden and Coping in Schizophrenia and Bipolar Disorder: A Qualitative Study. American Journal of Psychiatric Rehabilitation. 13(2), 126-142
- Gerson, R., Wong, C., Davidson, L., Malaspina, D., McGlashan, T., &Corcoran, C. (2011). Self-reported coping strategies in families of patients in early stages of psychotic disorder: an exploratory study. Early Intervention in Psychiatry, 5(1), 76-80.

Grandón, P., Jenaro, C. & Lemos, S. (2008). Primary caregivers of schizophrenia outpatients: Burden and predictor variables. Psychiatry Research, 158, 335-343.

Hanzawa, S., Tanaka, G., Inadomi, H., Urata, M. & Ohta, Y. (2008). Burden and coping strategies in mothers of patients with schizophrenia in Japan. Psychiatry and Clinical Neurosciences, 62, 256-263.

Hardcastle, M., Kennard, D., Grandison, S. & Fagin, L. (Eds.) (2007) Experiences of Mental Health In-patient Care: Narratives from service users, carers and professionals. London: Routledge.

Hasson-Ohayon, I., Levy, I., Kravetz, S., Vollanski-Narkis, A. & Roe, D. (2011). Insight into mental illness, self-stigma, and the family burden of parents of persons with a severe mental illness. Comprehensive Psychiatry, 52(1), 75-80.

Hastrup, L.H., Van Den Berg, B. & Gyrd-Hasen, D. (2011). Do informal caregivers in mental illness feel more burdened? A comparative study of mental versus somatic illnesses. Journal of Public Health, 39(6), 598-607.

Hsiao, C.Y. & Tsai, Y.F. (2015). Factors of caregiver burden and family functioning among Taiwanese family caregivers living with schizophrenia. Journal of Clinical Nursing, 24(11-12), 1546-1556.

Huang, X-Y., Sun, F-K., Yen, W-J. & Fu, C-M. (2008). The coping experiences of carers who live with someone who has schizophrenia. Journal Clinical Nursing, 17, 817-826.

Kamal, R. (2014). A narrative study of the lived experiences of family caregivers through different stages of mental illness. Dissertation Abstracts International: Section B: The Sciences and Engineering, 75(6).

Karp, D.A. & Tanarugsachock V. (2000). Mental Illness, Caregiving, and Emotion Management. Qualitative Health Research, 10(1), 6-25.

Krupnik, Y. Pilling, S., Killaspy, H. & Dalton, J. (2005). A study of family contact with clients and staff of community mental health teams. Psychiatric Bulletin, 29, 174-176.

Kuipers, E., Onwumere, J. & Bebbington, P. (2010). Cognitive model of caregiving in psychosis. The British Journal of Psychiatry, 196, 259-265.

Lai, A. (2008). First person account of schizophrenia: A carer's perspective. Hong Kong Journal of Psychiatry, 18(1), 41-2.

Lloyd, H., Singh, P., Merritt, R., Shetty, A., Singh, S & Burns, T. (2011). Sources of parental burden in a UK sample of first – generation North Indian Punjabi Sikhs and their white British counterparts, International journal of Social Psychiatry, 59 (2).

Lowyck, B., De Hert, M., Peeters, E., Gilis, P. & Peuskens, J. (2001). Can we identify the factors influencing the burden on family members of patients with schizophrenia? International Journal of Psychiatry in Clinical Practice, 5, 89-96.

Magliano, L., Fadden, G., Economou, M., Held, T., Xavier, M. et al. (2000). Family burden and coping strategies in schizophrenia: 1-year follow-up data from the BIOMED 1 study. Social Psychiatry and Psychiatric Epidemiology, 35, 109-115.

Magliano, L., Fadden, G., Economou, M., Xavier, M., Held, T. et al. (1998). Social and clinical factors influencing the choice of coping strategies in relatives of patients with schizophrenia: results of the BIOMED 1 study. Social Psychiatry and Psychiatric Epidemiology, 33, 413-419.

Magliano, L., Fadden, G., Fiorillo, A., Malangone, C., Sorrentino, D., Robinson, A. & Maj, M. (1999). Family burden and coping strategies in schizophrenia: are key relatives really different to other relatives? Acta Psychiatrica Scandinavica, 99, 10-15.

Magliano, L., Fadden, G., Madianos, M., Caldas de Almeida, J-M., Held, T., Guarneri, M., Marasco, C., Tosini, P. & Maj, M. (1998). Burden on the families of patients with schizophrenia: results of the BIOMED 1 study. Social Psychiatry and Psychiatric Epidemiology, 33, 405-412.

Martin, J., Padierna, A., Aguirre, U., Gonzalez, N., Munoz, P. & Quintana, J.M. (2013). Predictors of quality of life and caregiver burden among maternal and paternal caregivers of patients with eating disorders. Psychiatry Research, 210(3), 1107-1115.

McCann, T.V., Lubman, D.I. & Clark, E. (2011). First-time primary caregivers' experience of caring for young adults with first-episode psychosis. Schizophrenia Bulletin, 37(2), 381-388

Mohr, W.K., Lafuze, J.E. & Mohr B.D. (2000). Opening Caregiver Minds: National Alliance for the Mentally Ill's (NAMI) Provider Education Program. Archives of Psychiatric Nursing, 14(5), 235-243

Mohamad, S.M., Subhi, N., Jusoff, K., Wan Azreena, W.J., Chong, S.T., Fauziah, I., Lukman, Z.M., Sarnon, N., Nen, S., Hoesni, S.M. & Alavi, K. (2011). Psychological outcomes of family caregivers of mental illness patients. World Applied Sciences Journal, 12 (Special Issue of Social and Psychological Sciences for Human Development), 1-6.

Moller-Leimkuhler, A.M. & Wiesheu, A. (2012). Caregiver burden in chronic mental illness: the role of patient and caregiver characteristics, European Archives of Psychiatry & Clinical Neuroscience, 262:157-166.

Moniz-Cook, E., Elston, C., Gardiner, E., Agar, S., Silver, M., Win, T. & Wang, M. (2008). Can training community mental health nurses to support family carers reduce behavioural problems in dementia? An exploratory pragmatic randomised controlled trial. International Journal of Geriatric Psychiatry, 23(2), 185-191.

Onwumere, J., Smith, B. & Kuipers, E. (2010) Families and Psychosis, in Principles of Social Psychiatry, Second Edition (eds C. Morgan and D. Bhugra), John Wiley & Sons, Ltd, Chichester, UK.

Palmer, B.W., Heaton, S.C. & Jeste, D.V. (1999). Older patients with schizophrenia: Challenges in the coming decades. Psychiatric Services, 50, 1178-1183.

Parabiaghi, A., Lasalvia, A., Bonetto, C., Cristofalo, D., Marrella, G., Tansella, M. & Ruggeri, M. (2007). Predictors of changes in caregiving burden in people with schizophrenia: a 3-year follow-up study in a community mental health service. Acta Psychiatrica Scandinavica, 116(437), 66-76.

Pearson, V. (2008). Who cares for the caregivers? Families and schizophrenia in Hong Kong. Hong Kong Journal of Psychiatry, 18(1), 3-5.

Perlick, D.A., Rosenheck, R.A., Kaczynski, R., Swartz, M.S., Canive, J.M. & Lieberman, J.A. (2006). Components and correlates of family burden in schizophrenia. Psychiatric Services, 57, 1117-1125.

Provencher H.L. & Mueser K.T. (1997). Positive and negative symptom behaviors and caregiver burden in the relatives of persons with schizophrenia. Schizophrenia Research, 26, 71-80.

Reed, S. (2008). First-episode psychosis: A literature review. International Journal of Mental Health Nursing, 17, 85-91.

Reinares, M., Vieta, E., Colom, F., Martínez-Arán, A., Torrent, C., Comes, M., Goikolea, J.M., Benabarre, A., Daban, C. & Sánchez-Moreno (2006). What really matters to bipolar patients' caregivers: sources of family burden. Journal of Affective Disorders, 94, 157-163.

Rodrigo, C., Fernando, T., Rajapakse, S., De Silva, V. & Hanwella, R. (2013). Caregiver strain and symptoms of depression among principal caregivers of patients with schizophrenia and bipolar affective disorder in Sri Lanka, International Journal of Mental Health Systems, 7 (2).

Roick, C., Heider, D., Bebbington, P.E., Angermeyer, M.C., Azorin, J.-M., Brugha, T.S., Kilian, R., Johnson, S., Toumi, M. & Kornfeld, A. (2007). Burden on caregivers of people with schizophrenia: comparison between Germany and Britain. British Journal of Psychiatry, 190, 333-338.

Rose, L.E., Mallinson, K. & Gerson, L.D. (2006). Mastery, burden and areas of concern among family caregivers of mentally ill persons. Archives of Psychiatric Nursing, 20, 41-51.

Schulze, B. & Rossler, W. (2005). Caregiver burden in mental illness: review of measurement, findings and interventions in 2004-2005. Current Opinion in Psychiatry, 18(6), 684-691.

Sefasi, A., Crumlish, N., Samalani, P., Kinsella, A., O'Callaghan, E. & Chilale, H. (2008). A little knowledge: Caregiver burden in schizophrenia in Malawi. Social Psychiatry and Psychiatric Epidemiology, 43, 160-164.

Senaratne, R., Van Ameringen, M., Mancini, C. & Patterson, B. (2010). The Burden of Anxiety Disorders on the Family. Journal of Nervous & Mental Disease, 198(12), 876-880.

Settineri, S., Rizzo, A., Liotta, M. & Mento, C. (2014). Caregiver's burden and quality of life: Caring for physical and mental illness. International Journal of Psychological Research, 7(1), 30-39.

Sin, J. & Moone, N. (2008). Siblings of Individuals with First-Episode Psychosis: Understanding Their Experiences and Needs. Journal of Psychosocial Nursing, 46(6), 33-40.

Suro, G., Weisman de Mamani, A.G. (2013). Burden, interdependence, ethnicity, and mental health in caregivers of patients with schizophrenia, Family Process, 52(2), 299 – 311.

Tanriverdi, D. & Ekinici, M. (2012). The effect psychoeducation intervention has on the caregiving burden of caregivers for schizophrenic patients in Turkey. International Journal of Nursing Practice, 18(3), 281 – 288.

Yesufu-Udechuku, A., Harrison, B., Mayo-Wilson, E., Young, N., Woodhams, P., Shiers, D., Kuipers, E. & Kendall, T. (2015). Interventions to improve the experience of caring for people with severe mental illness: systematic review and meta-analysis. The British Journal of Psychiatry, 206(4), 268-274.

Vialiano, P.P., & Katon, W.J. (2006). Effects of Stress on Family Caregivers: Recognition and Management. <http://www.psychiatrictimes.com/display/article/10168/51416><http://www.psychiatrictimes.com/display/article/10168/51416>

Wancata, J., Krautgartner, M., Berner, J., Scumaci, S., Freidl, M., Alexandrowicz, R. & Rittmannsberger, H. (2006). The "Carers' needs assessment for Schizophrenia": An instrument to assess the needs of relatives caring for schizophrenia patients. Social Psychiatry and Psychiatric Epidemiology, 41, 221-229.

Webb, R. & Dening, H. (2016). In whose best interests? A case study of a family affected by dementia. British Journal of Community Nursing, 21(6), 300-305.

Williams, C.C., & Mfoafo-M'Carthy, M. (2006). Care: Giving, receiving and meaning in the context of mental illness. Psychiatry, 69(1), 26-46.

Yamada, M., Hagihara, A. & Nobutomo, K. (2008). Coping strategies, care manager support and mental health outcome among Japanese family caregivers, Health and Social Care in the Community, 16 (4), 400–409.

Yeh, L-L., Hwu, H-G., Chen, C-H., Chen, C-H. & Wu, A.C.C. (2008). Factors Related to Perceived Needs of Primary Caregivers of Patients with Schizophrenia. Journal of the Formosan Medical Association, 107(8), 644-652.

Yikilkan, H., Aypak, C. & Gorpelioglu, S. (2014). Depression, anxiety and quality of life in caregivers of long-term home care patients. Archives of Psychiatric Nursing, 28(3), 193-196.

Zarit, S.H. & Savla, J. (2016). Caregivers and stress. Concepts, Cognition, Emotion and Behaviour, 399-825.

Dr. Gráinne Fadden
July 2017