

FAMILY WORK IN EARLY PSYCHOSIS REFERENCES

Addington, J., Addington, D., Jones, B. & Ko, T. (2001). Family intervention in an early psychosis program. Psychiatric Rehabilitation Skills, 5 (2), 272-286

Addington, J. & Burnett, P (2004). Working with families in the early stages of psychosis. In P. McGorry & Jo Gleeson (Eds.) Psychological Interventions in Early Psychosis: A Practical Treatment Handbook Chichester: John Wiley & Sons Ltd.

Addington, J., Coldham, E.L., Jones, B., Ko, T. & Addington, D. (2002). Family work in an early psychosis programme: A longitudinal study. Acta Psychiatrica Scandinavica, 106, (Suppl. 413), 101.

Addington, J., Coldham, E.L., Jones, B., Ko, T. & Addington, D. (2003). The first episode of psychosis: the experience of relatives. Acta Psychiatrica Scandinavica, 108, 285-289.

Addington, J., Collins, A., McCleery, A., & Addington, D. (2005). The role of family work in early psychosis. Schizophrenia Research, 79, 77-83.

Addington, J., McCleery, A. & Addington, D. (2005). Three-year outcome of family work in an early psychosis program. Schizophrenia Research, 79, 107-116.

Alvarez-Jimenez, M., Parker, A.G., Hetrick, S.E., McGorry, P.D. & Gleeson, J.F. (2011) Preventing the second episode: a systematic review and meta-analysis of psychosocial and pharmacological trials in first-episode psychosis. Schizophrenia Bulletin, 37(3), 619-630.

Appleton, S. & Pugh, K. (2011) Planning mental health services for young adults – improving transition. A resource for health and social care commissioners. National Mental Health Development. Accessed: <http://www.nmhdu.org.uk/silo/files/planning-mental-health-services-for-young-adults--improving-transition.pdf>

Askey, R., Gamble, C. & Gray, R. (2007). Family work in first-onset psychosis: A literature review. Journal of Psychiatric and Mental Health Nursing , 14, 356-365.

Bachmann, S., Bottmer, C., Jacob, S., Kronmuller, K.T., Backenstrass, M., Mundt, C., Renneberg, B., Fiedler, P. & Schroder, J. (2002). Expressed emotion in relatives of first-episode and chronic patients with schizophrenia and major depressive disorder – a comparison. Psychiatry Research, 112, 239-250

Boydell, K.M., Gladstone, B.M. & Volpe, T. (2006). Understanding help-seeking delay in the prodrome to first episode psychosis: A secondary analysis of the perspectives of young people. Psychiatric Rehabilitation Journal, 30(1), 54-60.

Bird, V., Premkumar, P., Kendall, T., Whittington, C., Mitchell, J. & Kuipers, E. (2010) Early intervention services, cognitive-behavioural therapy and family intervention in early psychosis: systematic review. The British Journal of Psychiatry, 197, 350-356.*

Brabban, A. & Kelly, M. (2006). Training in Psychosocial Interventions within Early Psychosis Teams: A National Survey. NIMHE/CSIP National PSI Implementation Group.

Breitborde, N.J.K., Woods, S.W. & Srihari, V.H. (2009) Multifamily Psychoeducation for First-Episode Psychosis: A Cost-Effectiveness Analysis. Psychiatric Services, 60(11), 1477-83

Brent, B.K., Giuliano, A.J., Zimmet, S.V., Keshavan, M.S. & Seidman, L.J. (2011) Insight into illness in patients and caregivers during early psychosis: A pilot study. Schizophrenia Research, 127(1-3), 100-106.

Brotherson, M.J., Summers, J.A., Naig, L.A., Kyzar, K., Friend, A., Epley, P., Gotto IV, G.S. & Turnbull, A.P. (2010) Partnership patterns: addressing emotional needs in early intervention. Topics in Early Childhood Special Education, 30(1), 32-45

Browning, S., Corrigan, R., Garety, P., Emsley, R. & Jolley, S. (2013) Psychological interventions for adolescent psychosis: A pilot controlled trial in routine care. European Psychiatry, <http://dx.doi.org/10.1016/j.eurpsy.2013.05.008>.

Bruce, E.J. & Schulz, C.L. (2001). Nonfinite Grief and Loss. A Psychoeducational Approach. Baltimore: PH Brookes Publishing Company.

Burder, M.B. (2000) Family-Centred Early Intervention: Clarifying our values for the new millennium. Topics in Early Childhood Special Education, 20(2), 105-115.

Burbach, F., Fadden, G. & Smith, J. (2010). Family interventions for First Episode Psychosis In P. French, M. Reed, J. Smith, M. Rayne, & D. Shiers: Early Intervention in Psychosis: Promoting Recovery in Early Psychosis. Oxford: Blackwell Publishing Ltd. *

Byrne, P. & Rosen, A. (2014) *Early Intervention in Psychiatry. El of nearly everything for better mental health*. Chichester: John Wiley & Sons Ltd.

Clarke, K., Couchman, G. (2012), Caregiver causal attributions in youth psychosis. Early Intervention in Psychiatry, 6: 309-316.

Compton, M.T., Kaslow, N.J. & Walker, E.F. (2004). Observations on parent/family factors that may influence the duration of untreated psychosis among African American first-episode schizophrenia-spectrum patients. Schizophrenia Research, 68, 373-385.

Corcoran, C., Gerson, R., Sills-Shahar, R., Nickou, C., McGlashan, T., Malaspina, D. & Davidson, L. (2007) Trajectory to a first episode of psychosis: a qualitative research study with families. Early Intervention in Psychiatry, 1, 308-315.

Crespo-Facorro, B., Perez-Iglesias, R., Gonzalez-Blanch, C. & Mata, I (2008) Treatment of the first episode of schizophrenia: An update on pharmacologic and psychological interventions. Current Psychiatry Reports, 10(3), 202-209.

De Haan, L., Peters, B., Dingemans, P., Wouters, L. & Linszen, D. (2002). Attitudes of patients toward the first psychotic episode and the start of treatment. Schizophrenia Bulletin, 28(3), 431-442.

De Haan, L., Welborn, K., Krikke, M. & Linszen, D.H. (2004). Opinions of mothers on the first psychotic episode and the start of treatment of their child. European Psychiatry, 19, 226-229. *

Department of Health (2001) The Mental Health Policy Implementation Guide. London:HMSO.

Dixon, L.B., Dickerson, F., Bellack, A.S., Bennett, M., Dickinson, D., Goldber, W., Lehman, A., Tenhula, W.N., Calmes, C., Pasillas, R.M., Peer, J. & Kreyenbuhl, J. (2009) The 2009 Schizophrenia PORT Psychosocial Treatment Recommendations and Summary Statements. Schizophrenia Bulletin, 36(1), 48-70.

Early Psychosis Prevention and Intervention Centre (EPPIC) (1997) Working with Families in Early Psychosis. No. 2 in a Series of Early Psychosis manuals. Victoria, Australia: Psychiatric Services Branch, Human Services.

Fadden, G. (2014) Involving the Family in Early Interventions. In P. Byrne & A. Rosen (Eds.) Early Intervention in Psychiatry, EI of nearly everything for better mental health. Chichester: John Wiley & Sons Ltd. *

Fadden, G., Birchwood, M., Jackson, C. & Barton, K (2004). Psychological therapies: implementation in early intervention services. In P. McGorry & Jo Gleeson (Eds.) Psychological Interventions in Early Psychosis: A Practical Treatment Handbook. Chichester: John Wiley & Sons Ltd.

Fadden, G. & Smith, J., (2009). Family work in early psychosis. In F. Lobban & C. Barrowclough, A Casebook of Family Interventions for Psychosis. Chichester: Wiley and Sons. *

Favrod, J., Crespi, S., Faust, JM., Polari, A., Bonsack, C. & Conus, P. (2011). A psychoeducation tool for patients with first-episode psychosis. Acta Neuropsychiatrica, 23(2), 75-77.

Fisher, H., Bordass, E., & Steele, H. (2004), Siblings' experience of having a brother or sister with first-episode psychosis. Schizophrenia Research, 70 (Supplement 1), 88.

French, P. Smith, J., Shiers, D., Reed, M. & Rayne, M. (2010). Promoting recovery in early psychosis: a practice manual. Oxford : Wiley-Blackwell.

Gerson, R., Davidson, L., Booty, A., McGlashan, T., Malespina, D., Pincus, H.A. & Corcoran, C. (2009) Families' experience with seeking treatment for recent-onset psychosis. Psychiatric Services, 60, 812-816.

Gibbons, J.S., Horn, S.H., Powell, J.M. & Gibbons, J.L. (1984). Schizophrenic patients and their families: a survey in a psychiatric service based on a DGH unit. British Journal of Psychiatry, 144, 70-77

Gillam, T. (2010) Early Intervention in Psychosis. British Journal of Wellbeing, 1(1), 34-40.

Gleeson, J., Cotton, S.M., Alvarez-Jimenez, M., Wade, D., Crisp, K., Newman, B., Spiliotacopoulos, D. & McGorry, P.D. (2010) Family outcomes from a randomized controlled trial of relapse prevention therapy in first episode psychosis. Journal of clinical psychiatry, 71(4), 475-483.

Gleeson, J., Jackson, H.J., Staveley, H. & Burnett, P. (1999). Family intervention in early psychosis. In P.D. McGorry, & H.J. Jackson, (Eds.), The Recognition and Management of Early Psychosis. Cambridge: Cambridge University Press.

Gleeson, J., Wade, D., Castle, D. (2008) The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: rationale and sample characteristics. Journal of mental health, 17(1), 19-32, 0963-8237.

Goldstein, M.J., Rodnick, E.H., Evans, J.R., May, P.R.A. & Steinberg, M.R. (1978). Drug and family therapy in the aftercare of acute schizophrenia. Archives of General Psychiatry, 35, 1169-1177.

Gonzalez-Blanch, C., Pardo-Garcia, G., Martinez-Garcia, O., Alvarez-Jimenez, M., Rodriguez-Sanchez, J.M., Vazquez-Barguero, J.L. & Crespo-Farcorro, B. (2010) Effects of family psychoeducation on expressed emotion and burden of care in first-episode psychosis: a prospective observational study. The Spanish Journal of Psychology, 13 (1), 389-395.

Gonzalez-Pinto, A., Ruiz de Azua, S., Ibaniez, B., Oter-Cuesta, S., Castro-Fornieles, J., Graell-Berna, M., Ugarte, A., Parellada, M., Moreno, D., Soutullo, C., Baeza, I., & Arango, C. (2011) Can positive family factors be protective against the development of psychosis? Psychiatry Research, 186(1), 28-33.

Gopinath, P.S. & Chaturvedi, S.K. (1993). Distressing behaviour of schizophrenics at home. Acta Psychiatrica Scandinavica, 88, 221-222.

Goulding, S.M., Leiner, A.S., Thompson, N.J., Weiss, P.S., Kaslow, N.J. & Compton, M.T. (2008) Family strengths: a potential determinant of the duration of untreated psychosis among hospitalized African-American first-episode patients. Early Intervention in Psychiatry, 2, 162-168

Guo, X, Zhai, J., Liu, Z., Fang, M. et al. (2010) Effect of Antipsychotic Medication Alone vs. Combined With Psychosocial Intervention on Outcomes of Early-Stage Schizophrenia. Archives of General Psychiatry, 67(9), 895-904

Guo, X., Zhai, J., Liu, Z., Fang, M., Wang, B., Wang, C., Hu, C., Sun, X., Lv, L., Lu, Z., Ma, C., He, X., Guo, T., Xie, S., Wu, R., Xue, Z., Chen, J., Twamley, E., Jin, H. & Zhao, J. (2010) Effect of antipsychotic medication alone vs. combined with psychosocial intervention on outcomes of early-stage schizophrenia: a randomized, 1-Year Study. Archives of General Psychiatry, 67, 895 - 904.

Haddock, G. & Lewis, S. (2005). Psychological interventions in early psychosis. Schizophrenia Bulletin, 31, 697-704.

Hardy, KV, Dickson, J.M. & Morrison, A.P. (2009) Journey into and through an early detection of psychosis service: the subjective experience of persons at risk of developing psychosis. Early intervention in psychiatry, 3(1), 52-57.

Heikkila, J., Kartsson, H., Taminien, T., Lauerma, H., Ilonen, T., Leinonen, K.M., Wallenius, E., Virtanen, H., Heisimaa, M., Koponen, S., Jalo, P., Kaljonen, A. & Salakangas, R.K. (2002). Expressed emotion is not associated with disorder severity in first episode mental disorder. Psychiatry Research, 111, 155-165

Huguelet, P., Favre, S., Binyet, S., Gonzalez, C. & Zambala, I. (1995). The use of the Expressed Emotion Index as a predictor of outcome in first admitted psychiatric patients in a French speaking area of Switzerland. Acta Psychiatrica Scandinavica, 92, 447-452

Initiative to reduce the impact of schizophrenia (IRIS) (2009) Guidelines for early intervention in psychosis. Available from: <http://iris-initiative.org.uk/practitioner-learning/training-cd/iris-guidelines/> Accessed on 15th September 2009

Ishikura, S., Yamasaki, S., Ando, S., Nishida, A., Tanoue, M., Nimura, J., Asukai, N. & Okazaki, Y. (2014) Association between parents' trust in mental health professionals and disengagement from psychiatric service within the first 6 months of initial treatment of schizophrenia. Early Intervention in Psychiatry, doi:10.1111/eip.12162.

Iyer, S.N., Loohuis, H., Pawliuk, N., Jooper, R. & Malla, A.K. (2011) Concerns reported by family members of individuals with first-episode psychosis. Early Intervention in Psychiatry, 5, 163-167.

Jones, D.W. (2004). Families and serious mental illness: Working with loss and ambivalence. British Journal of Social Work, 34(7), 961-979.

Jones, K. (2009) Addressing the needs of carers during early psychosis. Early Intervention in Psychiatry, 3(s1), S22-S26

Kelly, M., O'Meara Howard, A.. & Smith, J. (2007). Early Intervention in psychosis: A rural perspective. Journal of Psychiatric and Mental Health Nursing, 14, 203-208.

Killackey, E. (2009) Psychosocial and psychological interventions in early psychosis: essential elements for recovery. Early Intervention in Psychiatry, 3, 517-521.

Kuipers, E. & Ruane, D. (2000). EE and burden in first onset psychosis. In M. Birchwood, D. Fowler & C. Jackson (Eds.). Psychosis: Psychological Approaches and their Effectiveness. London: Gaskell Press.

Kuipers, E. (2011) Cognitive behavioural therapy and family intervention for psychosis – evidence-based but unavailable? The next steps. Psychoanalytic Psychotherapy, 25, 69-74

Lafond, V. (2002). Grieving Mental Illness: A Guide for Patients and their Caregivers. Toronto: University of Toronto Press Inc.

Leavey, G., Gulamhussein, S, Papadopoulos, C., Johnson-Sabine, E., Blizard, B. & King, M. (2004) A randomized controlled trial of a brief intervention for families of patients with a first episode psychosis. Psychological Medicine, 34, 423-431

Lehtinen, K. (1993). Need-adapted treatment of schizophrenia: a five-year follow-up study from the Turku project. Acta Psychiatrica Scandinavica, 87, 96-101

Lester, H., Marshall, M., Jones, P., Fowler, D., Amos, T., Khan, N. & Birchwood, M. (2011). Views of young people in early intervention services for first-episode psychosis in England. Psychiatric Services, 62(8), 882-887. *

Lihong, Q., Shimodera, S., Fujita, H., Morokuma, I., Nishida, A., Kamimura, N., Mizuno, M., Furukawa, T. A. and Inoue, S. (2012), Duration of untreated psychosis in a rural/suburban region of Japan. Early Intervention in Psychiatry, 6: 239–246.

Linszen, D., Dingemans, P., Van der Does, J.W., Nugter, A., Scholte, P., Lenior, R. & Goldstein, M.J. (1996). Treatment, expressed emotion and relapse in recent onset schizophrenic disorders. Psychological Medicine, 26, 333-242.

Martens, L., & Addington, J. (2001). Psychological well-being of family members with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 36, 128-133

McCann, T.V., Lubman, D.I. & Clark, E. (2009) First-time primary caregivers' experience of caring for young adults with first-episode psychosis. Schizophrenia Bulletin, 37(2), 381-8.

McCann, T.V., Lubman, D.I. & Clark, E. (2011) First-time primary caregivers' experience accessing first-episode psychosis services. Early Intervention in Psychiatry, 5, 156-162.

McGorry PD, Hickie IB, Yung AR, Pantelis C & Jackson HJ. (2006) Clinical staging of psychiatric disorders: a heuristic framework for choosing earlier, safer and more effective interventions. *Australian and New Zealand Journal of Psychiatry* **40**, 616-622.

McGorry, P., Johanessen, J.O., Lewis, S., Birchwood, M., Malla, A., Nordentoft, M., Addington, J. & Yung, A. (2010) Early intervention in psychosis: keeping faith with evidence-based health care. Psychological Medicine, 40, 399-404

McCrone, P., Knapp, M., & Dhanasir, S. (2009) Economic impact of services for first-episode psychosis: a decision model approach. Early Intervention in Psychiatry, 3, 266-273. *

Macneil CA, Hasty MK, Berk M, Henry L, Evans M, Redlich C, Daglas R, McGorry PD & Conus P. (2011) Psychological needs of adolescents in the early phase of bipolar disorder: implications for early intervention. *Early Intervention in Psychiatry* 5, 100-107.

Miller, F. (1996). Grief therapy for relatives of persons with serious mental illness. Psychiatric Services, 47, 633-637

Mirella, R., Antonio, L., Paolo, S., Frasesca, P., Emanural, L., Maurizio, M., Silvio, S., Stefano, T., Sarah, T., Katia, D.S., Dorian, C., Carla., Simona, T., Angelo, F., Giovanni, P. & Chiara, B. (2017). Family burden, emotional distress and service satisfaction in first episode psychosis. Data from the GET UP trial. Frontiers in Psychology, 8.

Morin, M.H. & St-Onge, M. (2015). Factors predicting parent's adaptation when supporting their young adult during a first-episode psychosis. Early Intervention in Psychiatry, DOI:10.1111/eip.12263

National Mental Health Development Unit. (2011) Young People's Guide to Transition. London: Young Minds. Accessed: <http://www.youngminds.org.uk/document-library/pdf/ym-transitions-guide-yp>

National Mental Health Development Unit. (2011) Guide to Transition for Parents and Carers. London: Young Minds. Accessed: <http://www.youngminds.org.uk/document-library/pdf/ym-transitions-guide-parents>

Newman, S., Simonds, L.M. & Billings, J. (2011) A narrative analysis investigating the impact of first episode psychosis on siblings' identity. Psychosis: Psychological, Social and Integrative Approaches, 1752-2447.

Newstead, L. & Kelly, M. (2003). Early intervention in psychosis: who wins, who loses, who pays the price? Journal of Psychiatric and Mental Health Nursing, 10, 83-88

Nilsen, L., Norheim, I., Frich, J.C., Friis, S. & Rossberg, J.I. (2015). Challenges for group leaders working with families during early psychosis: A qualitative study. BMC Psychiatry, DOI:org/10.1186/s12888-015-0540-8.

Norman RM, Manchanda R, Malla AK, Windell D, Harricharan R, Northcott S. (2011) Symptom and functional outcomes for a 5 year early intervention program for psychoses. Schizophrenia Research, 129, 111-115.

O'Brien, M.P., Zinberg, J.L., Bearden, C.E., Daley, M., Niendam, T.A., Kopelowicz & Cannon, T.D. (2007). Psychoeducational multi-family group treatment with adolescents at high risk for developing psychosis. Early Intervention in Psychiatry, 1, 325-332.

O'Brien, M.P., Zinberg, J.L., Bearden, C.E., Lopez, S.R., Kopelowicz A., Daley, M., & Cannon, D.T. (2008). Parent attitudes and parent adolescent interaction in families of youth at risk for psychosis and with recent-onset psychotic symptoms. Early Intervention in Psychiatry, 2, 268-276.

Onwumere, J., Smith, B. & Kuipers, E. (2010) Families and Psychosis. In Principles of Social Psychiatry, Second Edition (eds C. Morgan and D. Bhugra). Chichester: John Wiley & Sons, Ltd.

Onwumere, J., Bebbington, P. & Kuipers, E. (2011). Family interventions in early psychosis: specificity and effectiveness. Epidemiology and Psychiatric Science, 20(2), 113-119.

Onwumere, J., Kuipers, E., Bebbington, P., Dunn, G., Freeman, D., Fowler, D. & Garety, P. (2011) Coping styles in carers of people with recent and long-term psychosis. Journal of Nervous & Mental Disease, 199(6), 423-424.

Parker, C., Clements, L., Harbour, A. & Honigmann, J. (2011) Transitions in Mental Health Care: A guide for health and social care professionals on the legal framework for the care, treatment and support of young people with emotional and psychological problems during their transition years. London: Young Minds
Accessed: <http://www.youngminds.org.uk/document-library/pdf/ym-transitions-professionals-darker-green>

Patterson, P., Birchwood, M. & Cochrane, R. (2000). Preventing the entrenchment of high expressed emotion in first episode psychosis: early developmental attachments pathways. Australian and New Zealand Journal of Psychiatry, 34, S191-197.

Penn, D.L., Waldheter, E.J., Perkins, D.O., Mueser, K.T. & Lieberman, J.A. (2005). Psychosocial treatment for first-episode psychosis: A research update. American Journal of Psychiatry, 162, 2220-2232.

Raune, D., Kuipers, E. & Bebbington, P.E. (2004). Expressed emotion at first-episode psychosis: investigating a carer appraisal model. British Journal of Psychiatry, 184, 321-326

Reed, M., Peters, S. and Banks, L. (2010) Sharing Care with Families, in Promoting Recovery in Early Psychosis: A Practice Manual (eds. P. French, J. Smith, D. Shiers, M. Reed and M. Rayne), Wiley-Blackwell, Oxford, UK. *

Riley G, Gregory N, Bellinger J, Davies N, Mabbott G & Sabourin R. (2011) Carers education groups for relatives with a first episode of psychosis: an evaluation of an 8 week education group. Early Intervention in Psychiatry, 5, 57-63.

Rossberg J. I. , Johannessen , J.O., Klungsoyr, O., Opjordsmoen, S., Evensen, J., Fjell, A., Haahr, U., Joa, I., Langeveld, J., Larsen, T.K., Melle, I., Rund, B.R., Simonsen, E. , ten Velden W. , Vaglum, P., Friis, S. & McGlashan, T. (2010) Are

multi family groups appropriate for patients with first episode psychosis? A 5-year naturalistic follow-up study. Acta Psychiatrica Scandinavica, 1 – 11.

Rund, B.R., Moe, L., Sollien, T., Fjell, A., Borchgrevink, T., Hallert, M. & Naess, P.O. (2007) The Psychosis Project: outcome and cost-effectiveness of a psychoeducational treatment programme for schizophrenic adolescents. Acta Psychiatrica Scandinavica, 89 (3), 211-128.

Rund, B.R., Aeie, M., Borchgrevink, T.S. & Fjell, A. (1995). Expressed emotion, communication deviance and schizophrenia. Psychopathology, 28, 220-228

Schlosser, D. A., Miklowitz, D. J., O'Brien, M. P., De Silva, S. D., Zinberg, J. L. and Cannon, T. D. (2012). A randomized trial of family focused treatment for adolescents and young adults at risk for psychosis: study rationale, design and methods. Early Intervention in Psychiatry, 6: 283–291.

Seikkula, J, Aaltonen, J, Alakare, B, Haarakangas, K, Keränen, J. & Lehtinen, K. (2006) Five-year experience of first-episode nonaffective psychosis in open-dialogue approach: Treatment principles, follow-up outcomes, and two case studies. Psychotherapy Research, 16(2), 214-228.

Seikkula, J., Aaltonen, J., Rasinkangas, A., Alakare, B., Holma, J. & Lehtinen, V. (2003) Open Dialogue Approach: Treatment Principles and Preliminary Results of a Two-year Follow-up on First Episode Schizophrenia. Ethical and Human Sciences and Services, 5(3), 163-182

Selick, A., Durbin, J., Vu, N., O'Connor, K., Volpe, T. & Lin, E. (2017). Barriers and facilitators to implementing family support and education in early psychosis intervention programmes: A systematic review. Early Intervention in Psychiatry. DOI: 10.1111/eip.12400.

Sin, J., Moone, N. & Wellman, N. (2005). Developing services for the carers of young adults with early-onset psychosis – listening to their experiences and needs. Journal of Psychiatric and Mental Health Nursing, 12, 589-597.

Sin, J., Moone, N. & Newell, J. (2007). Developing services for the carers of young adults with early-onset psychosis – implementing evidence-based practice on psycho-educational family intervention. Journal of Psychiatric Mental Health Nursing, 14, 282-290.

Singh, S.P. & Grange, T. (2006). Measuring pathways to care in first-episode psychosis: A systematic review. Schizophrenia Research, 81, 75-82.

Slade, M., Holloway, F. & Kuipers, E. (2004). Skills development and family interventions in an early psychosis service. Journal of Mental Health, 12 (4), 405-415

Smith, J. Fadden, G. & O'Shea, M. (2009) Interventions with siblings. In F. Lobban and C. Barrowclough (Eds.) A Casebook of Family Interventions for Psychosis. Chichester: Wiley and Sons

Smith, J., Fadden, G. & Taylor, L. (2010) The Needs of siblings in First Episode Psychosis In P. French, M. Reed, J. Smith, M. Rayne and D. Shiers (Eds) Early Intervention in Psychosis: Promoting Recovery. Oxford: Blackwell Publishing Ltd.

Tennakoon, L., Fannon, D., Doku, V., O'Ceallaigh, S., Soni, W. & Santamaria, M. (2000). Experience of care-giving: relatives of people experiencing a first episode of psychosis. British Journal of Psychiatry, 177, 529-533

Wainwright, L.D., Glentworth, D., Haddock, G., Bentley, R. & Lobban, F. (2014) What do relatives experience when supporting someone in early psychosis? Psychology and Psychotherapy: Theory, Research, and Practice, doi: 10.1111/papt.12024. [Epub ahead of print]

White, A. (2002). Working with families: Evaluation of an integrated positive approach to recent onset psychosis. Presentation at the BABCP 30th Anniversary Annual Conference. University of Warwick, UK.

Wolthaus, J.E.D., Dingemans, P.M.A.J., Schene, A.H., Linszen, D.H., Wiersma, D., Van Den Bosch, R.J., Cahn, W. & Hijman, R. (2002). Caregiver burden in recent onset schizophrenia and spectrum disorders: The influence of symptoms and personality traits. Journal of Nervous and Mental Disease, 190, 241-247

Wong, C., Davidson, L., Anglin, D., Link, B., Gerson, R., Malaspina, D., McGlashan, T. & Corcoran, C. (2009) Stigma in families of individuals in early stages of psychotic illness: family stigma and early psychosis. Early Intervention in Psychiatry, 3(2), 108-115.

Wong, C., Davidson, L., McGlashan, T., Gerson, R., Malaspina, D., & Corcoran, C. (2008) Comparable family burden in families of clinical high-risk and recent-onset psychosis patients. Early intervention in psychiatry, 2, 256-261

Yang, L. H., Phillips, M.R., Licht, D.M., & Healey, J.M. (2004). Causal attributions about schizophrenia in families in China: Expressed emotion and patient relapse. Journal of Abnormal Psychology, 113, (4), 592-602

Zhang, M., Wang, M., Li, J. & Phillips, M.R. (1994). Randomised-control trial of family intervention for 78 first-episode male schizophrenic patients. British Journal of Psychiatry, 165(24) (Supplement), 96-102

Zubin, J. & Spring, B. (1977). Vulnerability – a new view of schizophrenia. Journal of Abnormal Psychology, 86, 103-126.

Resource List

To get **help** as a young person or carer, you could initially talk to a relative, youth worker, teacher or school/college nurse or counsellor. For more information or advice about psychosis contact:

- **Your local doctor**
- **Your Local Early Intervention Service,**
- **Websites**

www.am-i-ok.co.uk – Buckinghamshire EI service website

www.youngminds.org.uk - Youth mental health site targeted at 16-25 year olds providing useful information and support for understanding and coping with mental health issues.

www.bcscs.org - British Columbia website with lots of downloadable helpful information.

www.iris-initiative.org.uk – UK site promoting good practice in early intervention services for psychosis.

www.rethink.org - UK Rethink site which has user friendly mental health information with loads of helpful links.

www.readthesigns.org – Colourful interactive youth site promoting understanding and open mindedness about mental health in Britain.

www.psychosissucks.ca – Informative Canadian site with youth appeal and helpful explanations of psychosis.

www.getontop.org – Australian site aimed at helping young people cope with and manage mental health issues.

www.eppic.org.au – Website of influential Australian service for people with first episode psychosis with comprehensive downloadable information sheets for young people and families.

www.earlydetection.csip.org.uk - Early detection website with guidance on early detection and intervention, downloadable factsheets and powerpoint presentations.

www.wheres-your-head-at.org/ - A website focusing on mental health information for young people. It aims to cut through the myths and stigma surrounding mental health to allow people to make informed decisions about where to seek help from and what they can do to help themselves.

www.gethelpearly.ca/home.htm - This Canadian website is an Early Psychosis Intervention (EPI) Youth and Family Education Initiative developed in partnership with the Ontario Working Group on Early Intervention in Psychosis

www.pepp.ca – Website of the Canadian PEPP EI service

www.tips-info.com/index.cfm?id=126154 – TIPS (Norway) website

www.wheres-your-head-at.com Birmingham Youth mental health service mental health awareness website

http://en.wikipedia.org/wiki/Early_intervention_in_psychosis

Wikipedia entry on early intervention in psychosis or early psychosis. Wikipedia is an important source of information for the general public

www.aminormal.org North East EI services website

www.psychiatristonline.net a psycho-education portal offering recommended information, websites, videos, books, news and other therapies for all aspects of mental health issues

www.BeatingBipolar.org a new web based psycho-educational treatment for bipolar disorder

www.psycheducation.org An American site providing extensive mental health information on specific topics including bipolar disorder

www.voicecollective.co.uk Voice Collective is a new London-wide project which is developing peer support groups for young people (aged 12-18) who hear, see or sense things others don't. The site includes useful info on voices & visions, coping & recovery and getting help in a crisis.

http://www.mentalhealthleeds.info/clients/leedsmental/modules/combined/interface/COMBINEDMOD_viewitem.aspx?id=2524&pageid=1 This link provides a very progressive explanation of psychosis, it's treatment options and it's outcomes, from a UK web site called "Information for Mental Health"

<http://www.healthtalkonline.org/> Healthtalkonline is the award-winning website of the DIPEX charity and replaces the website formerly at dipex.org. You can watch or listen to videos of the interviews, read about people's experiences of health and illness and find reliable information about conditions, treatment choices and support

Dr Gráinne Fadden and Sana Munshi
September 2017