

Eating Disorders

Reference List

Anastasiadou, D., Sepulveda, A.R., Sanchez, J.C., Parks, M., Alvarez, T. & Graell, Montserrat. (2016). Family functioning and quality of life among families in eating disorders: A comparison with substance-related disorders and healthy controls. European Disorders Review, 24(4), 294-303.

Ballard, J. & Crane, D.R. (2015). Eating disorders treatment pattern by age. Eating Disorders: The Journal of Treatment & Prevention, 23(3), 262-274.

Bezance, J. & Holliday, J. (2013). Adolescents with anorexia nervosa have their say: A review of qualitative studies on treatment and recovery from anorexia nervosa. European Eating Disorders Review, 21(5), 352-360.

Blessitt, E., Voulgari, S. & Eisler, I. (2015). Family therapy for adolescent anorexia nervosa. Current Opinion in Psychiatry, 28(6), 455-460.

Botha, D. (2015). Anorexia nervosa: A fresh perspective. Theory & Psychology, 25(3), 328-345.

Coomber, K. & King, R.M. (2013). Perceptions of carer burden: Differences between individuals with an eating disorder and their carer. Eating Disorders: The Journal of Treatment & Prevention, 21(1), 26-36.

Couturier, J., Kimber, M. & Szatmari, P. (2013). Efficacy of family-based treatment for adolescents with eating disorders: A systematic review and meta-analysis. International Journal of Eating Disorders, 46(1), 3-11.

Dalle Grave, R., Claugi, S., Doll, H.A. & Fairburn, C.G. (2013). Enhanced cognitive behaviour therapy for adolescents with anorexia nervosa: An alternative to family therapy. Behaviour Research and Therapy, 51(1), R9.

Dejong, H., Broadbent, H. & Schmidt, U. (2012). A systematic review of dropout from treatment in outpatients with anorexia nervosa. International Journal of Eating Disorders, 45(5), 635-647.

Dodge, E. (2016). Forty years of eating disorder-focused family therapy- The legacy of "psychosomatic families". Advances in Eating Disorders, 4(2), 219-227.

Downs, K.J. & Blow, A.J. (2013). A substantive and methodological review of family-based treatment for eating disorders: The last 25 years of research. Journal of Family Therapy, 35.

Eisler, I., Simic, M., Hodsoll, j., Asen, E., Berelowitz, M., Connan, F., Ellis, G., Hugo, P., Schmidt, U., Treasure, J., Yi, I. & Landau, S. (2016). A pragmatic randomised

multi-centre trial of multifamily and single family therapy for adolescent anorexia nervosa. BMC Psychiatry, 16.

Eisler, I., Wallis, A. & Dodge, E. (2015). What's new is old and what's old is new: The origins and evolution of eating disorders family therapy. In: Family Therapy for Adolescent Eating and Weight Disorders: New Applications.

Forsberg, S. (2014). The relationship between therapeutic alliance and treatment outcome in a comparative study of individual and family therapy for adolescent anorexia nervosa. Dissertation Abstracts International: Section B: The Sciences and Engineering, 74(11).

Fox, J.R.E., Dean, M. & Whittlesea, A. (2017). The experience of caring for or living with an individual with an eating disorder: A meta-analysis of qualitative studies. Clinical Psychology & Psychotherapy, 24(1), 103-125.

Galsworthy-Francis, L. & Allan, S. (2014). Cognitive behavioural therapy for anorexia nervosa: A systematic review. Clinical Psychology Review, 34(1), 54-72.

Gisladottir, M., Treasure, J. & Svavarsdottir, E.K. (2017). Effectiveness of therapeutic conversation intervention among caregivers of people with eating disorders: Quasi-experimental design. Journal of Clinical Nursing, 26(5-6), 735-750.

Godart, N., Berthoz, S., Curt, F., Perdereau, F., Rein, Z., Wallier, J., Horreard, A.S., Kaganski, I., Lucet, R., Atger, F., Corcos, M., Fermanian, J., Falissard, B., Flament, M., Eisler, L. & Jeammet, P. (2012). A Randomized Controlled Trial of Adjunctive Family Therapy and Treatment as Usual Following Inpatient Treatment for Anorexia Nervosa Adolescents. PLoS One, 7(1).

Hay, P. (2017). Commentary on: "Somebody else's roadmap": Lived experience of Maudsley and family-based therapy for adolescents with anorexia nervosa. Australian and New Zealand Journal of Family Therapy, 38(3), 430-432.

Hopf, R.B., Hoste, R.R. & Pariseau, C. (2015). Parent support as an adjunct to family therapy. In: Loeb, K.L., Le Grange, D. & Lock, J. (Eds.) Family Therapy for Adolescent Eating and Weight Disorders: New Applications, New York: Routledge.

Hughes, E.K., Sawyer, S.M., Loeb, K.L. & Le Grange, D. (2015). Who's in the room? A parent-focused family therapy for adolescent anorexia nervosa. Eating Disorders: The Journal of Treatment & Prevention, 23(4), 291-301.

Jewell, T., Blessitt, E., Stewart, C., Simic, M. & Eisler, I. (2016). Family therapy for child and adolescent eating disorders: A critical review. Family Process, 55(3), 577-594.

Jungbauer, J., Heibach, J. & Urban, K. (2016). Experiences, burdens, and support needs in siblings of girls and women with anorexia nervosa: Results from a qualitative interview study. Clinical Social Work Journal, 44(1), 78-86.

Jones, M., Jacobi, C. & Taylor, C.B. Internet assisted family therapy and prevention for Anorexia Nervosa. In: Family Therapy for Adolescent Eating and Weight Disorders: New Applications. (2015). Sussex: Taylor & Francis Group.

Knatz, S., Lock, J, le Grange, D. (2013). Review of Treatment manual for anorexia nervosa (2nd ed). Eating Disorders: The Journal of Treatment & Prevention, 21(3), 283-285.

Knoll, S., Focker, M. & Hebebrand, J. (2013). Clinical problems encountered in the treatment of adolescents with anorexia nervosa. Journal of Peer Reviewed Journals, 41(6), 433-446.

Lock, J. (2015). An update of evidence-based psychosocial treatments for eating disorders in children and adolescents. Journal of Clinical Child and Adolescent Psychology, 44(5), 707-721.

Lock, J. (2017). Is family-based treatment a specific therapy for adolescents with anorexia nervosa? In: Murray, S., Anderson, L. & Cohn, L. (Eds.) Innovations in family therapy for eating disorders: Novel treatment developments, patient insights, and the role of carers. New York: Routledge.

Lock, J., Agras, W.S., Bryson, S.W., Brandt, H., Halmi, K.A., Kaye, W., Wilfley, D., Woodside, B. & Pajarito, S.J. (2016). Does family-based treatment reduce the need for hospitalisation in adolescent anorexia nervosa? International Journal of Eating Disorders, 49(9), 891-894.

Lock, J., Brandt, H., Woodside, B., Agras, S., Halmi, W.K., Johnson, C., Kaye, W. & Wilfley, D. (2012). Challenges in conducting a multi-site randomised clinical trial comparing treatments for adolescent anorexia nervosa. International Journal of Eating Disorders, 45(2), 202-213.

Loeb, K.I., Grange, D.L. & Lock, J. (Ed.) Family therapy for adolescent eating and weight disorders. (2015). Sussex: Taylor & Francis Group.

Loebe, K.L., Le Grange, D. & Lock, J. (2015). Introduction: The role of the family in eating disorders. In: Loeb, K.L., Le Grange, D. & Lock, J. (Eds.) Family therapy for adolescent eating and weight disorders: New application, New York: Routledge.

Marcus, M.D. & Wildes, J.E. (2014). Evidence-based psychological treatments for eating disorders. In: Gabbard, G.O. (Ed.) Gabbard's Treatments of Psychiatric Disorders.

Marzola, E., Knatz, S., Murray, Stuart, B., Rockwell, R. & Boutelle, K. (2015). Short-term intensive family therapy for adolescent eating disorders: 30-month outcome. European Eating Disorders Review, 23(3), 210-218.

Medway, M. & Rhodes, P. (2016). Young people's experience of family therapy for anorexia nervosa: A qualitative meta-synthesis. Advances in Eating Disorders, *4*(2), 189-207.

Minaiy, C., Johnson, N., Ciochon, T. & Perkins, D. (2017). Adaptability of family therapy modalities in the treatment of Lesbian and gay clients with bulimia nervosa. Contemporary Family Therapy: An International Journal, *39*(2), 121-131.

Murray, S.B. & Griffith, S. (2017). The integration of wider family therapy practices into family-based treatment for adolescent anorexia nervosa. In: Murray, S., Anderson, L. & Cohn, L. (Eds). Innovations in family therapy for eating disorders: Novel treatment developments, patient insights, and the role of carers. New York: Routledge.

Murray, S.B., Thornton, C. & Wallis, A. (2012). A thorn in the side of evidence-based treatment for adolescent anorexia nervosa. Australian and New Zealand Journal of Psychiatry, *46*(11), 1026-1028.

Robin, A.L. & Le Grange, D. (2010). Family therapy for adolescents with anorexia nervosa. In: Weisz, J.R. & Kazdin, A.E. (Eds.) Evidence-Based Psychotherapies for Children and Adolescents. USA: Guilford.

Robinson, A.L., Dolhanty, J., Stillar, A., Henderson, K. & Mayman, S. (2016). Emotion-focused family therapy for eating disorders across the lifespan: A pilot study of a 2-day transdiagnostic intervention for parents. Clinical Psychology & Psychotherapy, *23*(1), 14-23.

Simic, M. & Eisler, I. (2012). Family and multifamily therapy. In: Fox, G. & Goss, K. (Eds.) Eating and it's' disorders, Sussex: Wiley-Blackwell.

Simic, M., Anderson, L.K., Berner, L.A., Peck, S.K., Hunt, K., Kaye, W.H. & Eisler, I. (2017). When family therapy isn't enough: New treatment directions for highly anxious and dysregulated adolescents with anorexia nervosa. In: Murray, S., Anderson, L. & Cohn, L. (Eds.) Innovations in family therapy for eating disorders: Novel treatment developments, patient insights, and the role of carers. New York: Routledge.

Stein, D. & Latzer, Y. (2012). Introduction: Treatment strategies in eating disorders: An overview. In: Stein, D. & Latzer, Y. (Eds.) Treatment and Recovery of Eating Disorders, DOI.org/10.1186/2050-2974-2-4.

Stewart, C., Voulgari, S., Eisler, I., Hunt, K. & Simic, M. (2015). Multi- family therapy for bulimia nervosa in adolescence. Eating Disorders: The Journal of Treatment and Prevention, *23*(4), 345-355.

Stewart, C., Voulgari, S., Eisler, I., Hunt, K. & Simic, M. (2017). Multi-family therapy for bulimia nervosa in adolescence. In: Murray, S., Anderson, L. & Cohn, L. (Eds.)

Innovations in family therapy for eating disorders: Novel treatment developments, patient insights, and the role of carers. New York: Routledge.

Talarczyk, M. (2011). Therapy of patients diagnosed with anorexia nervosa treated at an in-patient ward – specificity, riles and dilemmas. Archives of Psychiatry and Psychotherapy, 1, 53-61.

Wagner, I., Diamond, G.S., Levy, S., Russon, J. & Litster, R. (2016). Attachment-based family therapy as an adjunct to family-based treatment for adolescent anorexia nervosa. Australian and New Zealand Journal of Family Therapy, 37(2), 207-227.

Whitney, J.L. (2016). Caring for a son with anorexia: The psychological impact on mothers. Dissertation Abstracts International: Section B: The Sciences and Engineering, 76(12).

Whitney, J, Currin, L., Murray, J. & Treasure, J. (2012). Family work in anorexia nervosa: A qualitative study of carers' experiences of two methods of family intervention. European Eating Disorders Review, 20(2), 132-1741.

Whitney, J., Murphy, T., Landau, S., Gavan, K., Todd, G., Whitaker, W. & Treasure, J. (2012). A practical comparison of two types of family intervention: An exploratory RCT of family day workshops and individual family work as a supplement to inpatient care for adults with anorexia nervosa. European Eating Disorders Review, 20(2), 142-150.

Woodside, B., Halpert, B. & Dimitropoulos, G. (2015). Implementing behavioural family therapy in complex settings. In: Loeb, K.I., Grange, D.L. & Lock, J. (Eds.) Family therapy for adolescent eating and weight disorders. Sussex: Taylor & Francis Group.

Dr Grainne Fadden and Sana Rana

(Updated February 2018)