

IMPLEMENTATION OF FAMILY WORK REFERENCES

Absalom-Hornby, V., Gooding, P. & Tarrier, N. (2012). Family intervention using a web camera (e-FFI) within forensic services: a case study and feasibility study, The British Journal of Forensic Practice, 14 (1), 60-71.

Baguley, I., Butterworth, T., Fahy, K., Haddock, G., Lancashire, S. & Tarrier, N. (2000). Bringing into clinical practice skills shown to be effective in research settings: a follow up of Thorn training in psychosocial interventions for psychosis. In B. Martindale, A. Bateman, M. Crowe & F. Margison: Psychosis: Psychological Approaches and Their Effectiveness. pp. 96-119. London: Gaskell.

Barbato, A., Vallarino, M., Rapisarda, F., Lora, A., Parabiaghi, A., D'Avanzo, B. & Lesage, A. (2016). Do people with bipolar disorders have access to psychosocial treatments? A survey in Italy. International Journal of Social Psychiatry, 62(4), 334-344.

Beidas, R.S. & Kendall, P.C. (2010). Training therapists in evidence-based practice: A critical review of studies from a systems-contextual perspective. Clinical Psychology, 17(1), 1-30.

Berry, K. & Haddock, G. (2008) The implementation of the NICE guidelines for schizophrenia: barriers to the implementation of psychological interventions and recommendations for the future. Psychology and Psychotherapy, 81(4), 419-36.

Bird, V, Premkumar, P, Kendall, T, Whittington, C, Mitchell, J, Kuipers, E. (2010) Early intervention services, cognitive-behavioural therapy and family intervention in early psychosis: Systematic review. The British Journal of Psychiatry, 197, 350-356.

Brooker, C., Saul, C., Robinson, J., King, J. & Dudley, M. (2003) Is training in psychosocial interventions worthwhile? Report of a psychosocial intervention trainee follow-up study. International Journal of Nursing Studies, 40, 731-747.

Bucci, S., Berry, K., Barrowclough, C. & Haddock, G. (2015). Family interventions in psychosis: A review of the evidence and barriers to implementation. Australian psychologist, 51, 62-68.

Burbach, F.R. (2012) Family interventions: Fundamental considerations when developing routine and formal family interventions services. Psychosis: Causes, diagnosis and treatment, 207-228.

Burbach, F., Fadden, G., Smith, J. (2010). Family interventions for first-episode psychosis. In P. French, J. Smith, D. Shiers, M. Reed, M. Rayne (Eds.) Promoting Recovery in Early Psychosis. Oxford: Wiley-Blackwell.

Burbach, F. & Stanbridge, R. (2006). Somerset's family interventions in psychosis service: an update. Journal of family Therapy, 28, 39-57.

Burbach, F. & Stanbridge, R. (2007). Involving Carers. . In D. Froggatt, G.Fadden, D.L. Johnson, M. Leggatt & R.Shankar (Eds.) Families as Partners in Care: A Guidebook for Implementing Family Work. pp. 50 – 65. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Burbach, F. & Stanbridge, R. (2009). Setting up a Family Interventions (FI) service – a UK Case Study. . In F. Lobban & C. Barrowclough, A Casebook of Family Interventions for Psychosis. Chichester: Wiley and Sons. pp. 287-307.

Burbach, F.R. (2012) Family interventions: Fundamental considerations when developing routine and formal family interventions services. Psychosis: Causes, diagnosis and treatment, 207-228.

Campbell, A.S. (2004) How was it for you? Families experiences of receiving Behavioural Family Therapy, Journal of Psychiatric and Mental Health Nursing, 11, 261–267.

Caqueo-Urizar, A., Rus-Calafell, M., Urzua, A., Escudero, J., Guitierrez-Maldonado, J. (2015). The role of family therapy in the management of schizophrenia: Challenges and solutions. Neuropsychiatric Disease and Treatment, 11, 145-151.

Cleary, M., Freeman, A. & Walter, G. (2006). Carer participation in mental health service delivery. International Journal of Mental Health Nursing, 15, 189-194.

Cohen, A.N., Glynn, S.M., Murray-Swank, A.B., Barrio, C., Fischer, E.P., McCutcheon, S.J., Perlick, D.A., Rotondi, A.J., Sayers, S.L., Sherman, M.D. & Dixon, L.B. (2008) The Family Forum: Directions for the Implementation of Family Psychoeducation for Severe Mental Illness. Psychiatric Services, 59(1), 40-48

Cohen, A.N., Glynn, S.M., Hamilton, A.B. & Young, A.S. (2010) Implementation of a Family Intervention for Individuals with Schizophrenia. Journal of General Internal Medicine, 25(1), 32-37

Corrigan, P.W., Steiner, L., McCracken, S.G., Blaser, B. & Barr, M. (2001). Strategies for disseminating evidence-based practices to staff who treat people with serious mental illness. Psychiatric Services, 52, 1598-1606.

Department of Health (2006). Layers of Leadership: hidden influencers of healthcare improvement. Research into practice, Report No. 10. London, Department of Health.

Eassom, E., Giacco, D., Dirik, A. & Priebe, S. (2014). Implementing family involvement in the treatment of patients with psychosis: a systematic review of facilitating and hindering factors. BMJ Open, 4(10). doi: 10.1136/bmjopen-2014-006108.

Fadden, G. (1997) Implementation of Family Interventions in Routine Clinical Practice: a Major Cause for Concern. Journal of Mental Health, 6, 599–612.

Fadden, G. (1998) 'Family Intervention'. In C.Brooker, & J.Repper, (Eds.) Serious Mental Health Problems in the Community. London: Balliere Tindall Limited.

Fadden, G. (2006a) Training and disseminating family interventions for schizophrenia: developing family intervention skills with multi-disciplinary groups. Journal of Family Therapy, 28, 23-38.

Fadden, G. (2006b). Family Interventions. In G. Roberts, S. Davenport, F. Holloway & T. Tattan (Eds.) Enabling Recovery: The Principles and Practice of Rehabilitation Psychiatry. pp. 158-169. London:Gaskell.

Fadden, G. (2007). Involving and training professionals in family work. In D. Froggatt, G.Fadden, D.L. Johnson, M. Leggatt & R.Shankar (Eds.) Families as Partners in Care: A Guidebook for Implementing Family Work. pp 38 – 49. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Fadden, G. (2009). Overcoming barriers to staff offering interventions in the NHS. In F. Lobban & C. Barrowclough. (Eds). A Casebook of Family Interventions for Psychosis. Chichester: Wiley and Sons. pp. 309-335.

Fadden, G & Birchwood, M. (2002) British models for expanding family psychoeducation in routine practice. In H.P. Lefley & D.L. Johnson (Eds.) Family Interventions in Mental Illness: International Perspectives. Praeger: Westport,CT.

Fadden, G, & Heelis, R. (2011) The Meriden West Midlands Family Programme: Lessons Learned Over Ten Years. Journal of Mental Health, 20(1), 79-88

Fadden, G., Heelis, R. & Bisnauth, R. (2010). Training mental health care professionals in Behavioural Family Therapy: an audit of West Midlands trainers' experiences. Journal of Mental Health Training, Education and Practice, 5(2), 27-35.

Falloon, I. R. H. (2003). Family interventions for mental disorders: Efficacy and effectiveness. World Psychiatry, 2 (1).

Froggatt, D., Fadden, G., Johnson, D.L., Leggatt, M. & Shankar, R. (Eds.) (2007). Families as Partners in Care: A Guidebook for Implementing Family Work. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Georgiades, N.J. & Phillimore, L. (1975). The myth of the hero-innovator and alternative strategies for organisational change. In C.C. Kiernan & F.P. Woodford (Eds.) Behaviour Modification in the Severely Retarded.

Girón, M., Fernández-Yañez, A., Mañá-Alvarenga, S., Molina-Habas, A., Nolasco, A., & Gómez-Beneyto M. (2010). Efficacy and Effectiveness of Individual Family Intervention on Social and Clinical Functioning and Family Burden in Severe Schizophrenia: a 2-year Randomized Controlled Study. Psychological Medicine, 40(1), 73-84.

Gold, P.B., Glynn, S.M. & Mueser, K.T. (2006) Challenges to Implementing and Sustaining Comprehensive Mental Health Service Programs. Evaluation and the Health Professions, 29(2), 195-218.

Gottlieb, J.D., Mueser, K.T., Glynn, S.M. (2012) Family therapy for schizophrenia: Co-occurring psychotic and substance use disorders, Journal of Clinical Psychology: In session, 68(5), 490–501.

Gutiérrez-Maldonado, J., Caqueo-Urizar, A. & Ferrer-García, M. (2009) Effects of a psychoeducational intervention program on the attitudes and health perceptions of relatives of patients with schizophrenia, Social Psychiatry Psychiatry Epidemiology 44, 343–348.

Hackman, A., & Dixon, L. (2008) Issues in Family Services for Persons With Schizophrenia. Psychiatric Times , 25(3), 1.
<http://www.psychiatrictimes.com/display/article/10168/1147641?pageNumber=1>

Hanbury, A. (2013) The relative influence of team climate, team norms and social network norms on health professionals' implementation of a national recommendation to offer services-users diagnose with schizophrenia family intervention therapy. Psychology, Health & Medicine, 18 (5), 619-625.

Hartman, D. & De Courcey, J. (2015). Family therapy in the real world: Dialogical practice in a regional Australian public mental health service. Australian and New Zealand Journal of Family Therapy, 36(1), 88-101.

Hastrup, L.H., Kronborg, C., Bertelsen, M., Jeppesen, P., Jorgensen, P., Peterson, L., Thorup, A., Simonsen, E. & Nordentoft, M. (2013) Cost-effectiveness of early intervention in first-episode psychosis: Economic evaluation of a randomised controlled trial (the OPUS study), The British Journal of Psychiatry, 202 (1), 35–41.

Hemmelgarn, A.L., Glisson, C. & James, L.R. (2006). Organizational culture and climate: Implications for services and interventions research. Clinical Psychology: Science and Practice, 13(1), 73-89.

Herschell, A.D., Kolko, D.J., Baumann, B.L. & Davis, A.C. (2010). The role of therapist training in the implementation of psychosocial treatments: A review and critique with recommendations. Clinical Psychology Review, 30(4), 448-466.

Hughes, I., Hailwood, R., Abbati-Yeoman, J. & Budd, R. (1996). Developing a family intervention service for serious mental illness: Clinical observations and experiences. Journal of Mental Health, 5, 145-159.

Iles, V. & Sutherland, K. (2001). Organisational change: A review for health care managers, professionals and researchers. London: SDO.

Ince, P., Haddock, G. & Tai, S. (2015). A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. Psychology and Psychotherapy: Theory, Research and Practice, DOI: 10.1111/PAPT.12084.

James, C., Cushway, D. & Fadden, G. (2006). What works in engagement of families in behavioural family therapy? A positive model for the therapist perspective. Journal of Mental Health, 28, 23-38.

Kanter, R.M., Stein, B. & Jick, T. (1992). The Challenge of Organisational Change. London: Free Press.

Kavanagh, D.J. (2016). What the problem may be with family intervention...and with dissemination more generally: A commentary. Australian Psychologist, 51, 69-72.

Kavanagh, D.J., Piatkowska, O., Clarke, D., O'Halloran, P., Manicavasagar, V., Rosen, A. & Tennant, C. (1993). Application of cognitive-behavioural family intervention for schizophrenia in multi-disciplinary teams: what can the matter be? Australian Psychologist, 28, 181-188.

Kelly, M. & Newstead, L. (2004). Family Intervention in Routine Practice: it is possible! Journal of Psychiatric and Mental Health Nursing, 11, 64-72.

Kotter, J. & Schlesinger, L. (1979). Choosing strategies for change. Harvard Business Review, 57(2), 106-14.

Kuipers, E. (2011) Cognitive behavioural therapy and family intervention for psychosis – evidence-based but unavailable? The next steps. Psychoanalytic Psychotherapy, 25(1), 69-74.

Leggatt, M. (2007). Meeting the Challenges. In D. Froggatt, G.Fadden, D.L. Johnson, M. Leggatt & R.Shankar (Eds.) Families as Partners in Care: A Guidebook for Implementing Family Work. pp 22 – 37. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Lewin, K. (1951). Field Theory in Social Sciences. New York: Harper Row.

Magliano, L., Fiorillo, A., Malangone, C., De Rosa, C., Maj, M. & the family intervention working group (2006). Implementing psychoeducational interventions in Italy for patients with schizophrenia and their families. Psychiatric Services, 57, 266-269.

Marshall, K & Ferris, J. (2012) Utilising behavioral family therapy (BFT) to help support the system around a person with intellectual disability and complex mental health needs: A case study. Journal of Intellectual Disabilities, 16 (2), 109-118.

Martinez, T.D., Vainer, E., Massanet, M.A., Torices, I., Jane, M. & Barrantes-Vidal, N. (2011). The need-adapted integrated treatment in Sant Pere Claver- Early Psychosis Programme (SPC-EPP). Salud Mental, 34, 517-524.

Mayberry, D. & Reupert, A. (2009) Parental mental illness: a review of barriers and issues for working with families and children. Journal of Psychiatric and Mental Health Nursing, 16(9), 784-91.

McFarlane, W., McNary, S., Dixon, L. & Hornby, H. (2001). Predictors of dissemination of family psychoeducation in community mental health centres in Maine and Illinois. Psychiatric Services, 52, 935-942.

Motlova, L., Dragomirecka, E., Spaniel, F., Goppoldova, E., Zalesky, R., Selepova, P., Figlova, Z. & Hoschl, C. (2006) Relapse prevention in schizophrenia: does group family psychoeducation matter? One-year prospective follow-up field study, International Journal of Psychiatry in Clinical Practice, 10(1), 38-44.

National Institute for Health and Clinical Excellence (2009) Schizophrenia: Core interventions in the treatment and management of schizophrenia in primary and secondary care (update). London: National Institute for Health and Clinical Excellence. Available from: www.nice.org.uk

National Institute for Health and Care Excellence (2014). Psychosis and schizophrenia in adults: treatment and management. CG178. London: National Institute for Health and Care Excellence.

Onwumere, J., Grace, S. & Kuipers, E. (2016). Delivering cognitive-behavioural family interventions for schizophrenia. Australian Psychologist, 51, 52-61.

Palmer, C. & Fenner, J. (1999). Getting the message across: Review of research and theory disseminating information within the NHS. London: Gaskell.

Pharoah, F., Mari, J. J., Rathbone, J. & Wong, W. (2010). Family intervention for schizophrenia. Cochrane Database of Systematic Reviews, 12, DOI: 10.1002/14651858.CD000088.pub3.

Pitschel-Walz, G., Leucht, S., Bäuml, J., Kissling, W. and Engel, R.R. (2001). The Effect of Family Interventions on Relapse and Rehospitalisation in Schizophrenia – a Meta-analysis. Schizophrenia Bulletin, 27, 73-92.

Prytys, M., Garety, P.S., Jolley, S., Onwumere, J. & Craig, T. (2011) Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. Clinical Psychology and Psychotherapy, 18(1), 48-59.

Repper, D. & Brooker, C. (2002). Avoiding the washout: Developing the organisational context to increase the uptake of evidence-based practice for psychosis. Northern Centre for Mental Health Publication Series.

Rogers, E.M. (1976). New product adoption and diffusion. Journal of Consumer Research, 2, 290-301.

Rogers, E. M. (1995). Diffusion of Innovations. (4th ed.) New York: Free Press.

Roth, A.D. & Pilling, S. (2013). A competence framework for psychological interventions with people with psychosis and bipolar disorder. Research Department of Clinical, Educational and Health Psychology, UCL. <http://www.ucl.ac.uk/clinical-psychology//CORE/Docs/Working%20with%20Psychosis%20and%20Bipolar%20Disorder%20background%20document%20web%20version.pdf>

Rowlands, P. (2004). The NICE schizophrenia guidelines: the challenge of implementation. Advances in Psychiatric Treatment, 10, 403-412.

Sin, J., Livingstone, S., Griffiths, M. & Gamble, C. (2014) Family intervention for psychosis: Impact of training on clinicians' attitudes, knowledge and behaviour. Psychosis: Psychological, Social and Integrative Approaches, 6:2, 128-142, DOI: 10.1080/17522439.2013.806569.

Smith, G. & Velleman, R. (2002). Maintaining a family work service for psychosis service by recognising and addressing the barriers to implementation. Journal of Mental Health, 11, 471-179.

Smith, G., Gregory, K. & Higgs, A. (2007). An integrated approach to family work for psychosis: a manual for family workers. London: Jessica Kingsley Publishers.

Stain, H.J., Mawn, L., Common, S., Pilton, M. & Thompson, A. (2017). Research and practice for ultra-high risk for psychosis: A national survey of early intervention in psychosis services in England. Early Intervention in Psychiatry.

Stanbridge, R.L., Burbach, F.R., Lucas, A.S. & Carter, K. (2003). A study of families' satisfaction with a family interventions in psychosis service in Somerset. Journal of Family Therapy, 25, 181-204.

Stanbridge, R.I. & Burbach, F.R. (2007) Developing family inclusive mainstream mental health services. Journal of Family Therapy, 29:21-43

Woodhams, P. (2007). Involving and training carers: Part 2. In D. Froggatt, G.Fadden, D.L. Johnson, M. Leggatt & R.Shankar (Eds.) Families as Partners in Care: A Guidebook for Implementing Family Work. pp 65 – 75. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Woodside, B., Halpert, B. & Dimitropoulos, G. (2015). Implementing behavioural family therapy in complex settings. In: Loeb, K.I., Grange, D.L. & Lock, J. Ed. Family therapy for adolescent eating and weight disorders. Sussex: Taylor & Francis Group.

Ywye, L. & McClenahan, T. (2000). Getting better with evidence: experience of putting evidence into practice. London: King's Fund.

RESOURCES

Many of the articles in the reference list offer useful resources. Probably the best starting point to guide readers, and provide an overview of issues is the publication :

Froggatt, D., Fadden, G., Johnson, D.L., Leggatt, M. & Shankar, R. (Eds.) (2007). Families as Partners in Care: A Guidebook for Implementing Family Work. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Copies of sample family work policies and implementation plans are available through the author, and the Somerset family service also have a range of policies and strategy documents, so making contact with those experiences in the area is useful.

Back copies of Meriden Newsletter available on the Meriden Programme website, www.meridenfamilyprogramme.com also contain useful articles e.g. on implementing family work in different service areas such as assertive outreach or on home treatment teams that readers will find helpful.

Dr Gráinne Fadden and Sana Munshi
November 2017